SOW-01-844-1-09281A-2/1

Date: 02/22/00

STATEMENT OF WORK (SOW) For the IROAN of the SHELTER, NONEXPANDABLE, 20 Foot RIGID/EMC NSN: 5411-01-305-7366

P/N: 82A5050A0000; CAGE: 01365

GYSGT R. WRIGHT

Equipment Specialist Data Systems Section

(Code 844-1)

MCLB, Albany GA

STEPHANIE D. BYRD

Inventory Manager Data Systems Section

(Code 844-1)

MCLB, Albany GA

HARVEY C. DEARING

Weapon System/Equipment Manager Data Systems Section (Code 844-1) MCLB, Albany GA

TABLE OF CONTENTS

Paragraph	Title	Page
	Cover Page	
	Table of Contents	i
1.0	Scope	1
2.0	Applicable Documents	1
2.1	Military Specifications	1
2.2	Military Standards	1
2.3	Other Government Documents and Publications	1
2.4	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2 3
3.2	Detail Tasks	3
3.2.1	Phase I (Pre-Induction)	3
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	4
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))	4
3.3	Government Furnished Equipment (GFE)/Government Furnished Materiel	
	(GFM) Accountability	4
3.4	Contractor Furnished Materiel (CFM)	5
3.5	Electrostatic Discharge (ESD) Control Program	5
3.6	Quality Assurance Provisions	5
3.7	Acceptance	5
3.8	Rejection	5
3.9	Configuration Control	5
4.0	Reports	6
4.1	Pre-Induction Checklist	6
4.2	Test/Inspection Report	6
4.3	Repairable Item Inspection Report	6
4.4	Monthly Progress Report	6

 $\frac{Appendix}{A}$ Standard Form 364 (Rev. 2-80)

STATEMENT OF WORK For the IROAN of SHELTER, NONEXPANDABLE, 20 Foot RIGID/EMC (5411-01-305-7366)

P/N: 82A5050A0000; CAGE: 01365

1.0 Scope

This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to IROAN the 20 Foot RIGID/EMC Shelter, Drawing Number 82A5050A0000, CAGE 01365, NSN: 5411-01-305-7366; hereafter referred to as the RIGID/EMC SHELTER. This document contains requirements to restore the RIGID/EMC SHELTER to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."

2.0 Applicable Documents

The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Specifications

MIL-C-81309 Corrosion Preventive Compounds, Water Displacing,

Ultra Thin Film

MIL-DTL-55507 Shelter Electrical Equipment (with or without

Equipment), Packaging of

2.2 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

Military Standards (For Guidance Only)

MIL-STD-973 Configuration Management

2.3 Other Government Documents and Publications: The issues of those documents cited below shall be used.

SL-3-09281A Components List for Shelter, Nonexpandable, 20ft,

EMI/EMC

	TM 5410-14/1	Intermediate Maintenance Instructions Electronics Maintenance Complex
	TM 5411-14/1	Marine Corps Expeditionary Shelter System (MCESS) (Small Shelter Family) Operation and Maintenance Instructions
	TM 5411-14&P/2	Marine Corps Expeditionary Shelter System, General Purpose Shelter, Operations and Maintenance Instructions with Repair Parts
	82A5050A0000	Technical Data Package
	DoD 4000.25-1-M	MILSTRIP Manual
	NAVICPINST 4491.2A	Requisitioning of Contractor furnished Materiel from the Federal Supply System
2.4	Industry Standards	
	ANSI/E1A-625	Requirements for Handling Electrostatic-Discharge Sensitive ESDS Devices
	ANSI/ISO/ASQC Q9002-1994	Quality Systems-Model for Quality Assurance in Production, Installation, and Servicing

(Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410).

3.0 Requirements

3.1 <u>General Tasks:</u> In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the RIGID/EMC SHELTER. Upon completion of repairing the subject item it shall be Condition Code "A".

3.2 Detail Tasks: The following tasks describe the different phases for repair of the RIGID/EMC SHELTER:

Phase I Pre-Induction
Phase II Repair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

- **3.2.1** Phase I Pre-Induction: A pre-induction inspection analysis shall be performed for each RIGID/EMC SHELTER within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Base, Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction Checklist (Appendix A) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.
- **3.2.2** Phase II Repair: After pre-induction tests and inspections have been completed, repair of the RIGID/EMC SHELTER shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation:</u> The Contractor shall use appropriate technical documentation to restore the RIGID/EMC SHELTER to condition code "A."
 - c. The following Standards and Publications shall be used to assist the Contractor:

SL-3-09281A Components List for Shelter, Nonexpandable, 20ft,

EMI/EMC

TM 5410-14/1 Intermediate Maintenance Instructions Electronics

Maintenance Complex

TM 5411-14/1	Marine Corps Expeditionary Shelter System (MCESS) (Small Shelter Family) Operation and Maintenance Instructions
MIL-C-81309	Corrosion Preventive Compounds, Water Displacing, Ultra Thin Film
TM 5411-14&P/2	Marine Corps Expeditionary Shelter System (MCESS), General Purpose Shelter, Operations and Maintenance Instructions with Repair Parts
82A5050A0000	Technical Data Package

3.2.3 Phase III - Inspection, Testing and Acceptance

- a. Inspection, Testing and Acceptance of the RIGID/EMC SHELTER shall be conducted in accordance with the documents and TM's listed in section 3.2.2.c.
- b. The Contractor shall be responsible for conducting required tests in accordance with applicable procedures and specifications.
- c. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 844-1), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV - Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be in accordance with the level A requirements of MIL-DTL-55507. Items being prepared for domestic shipment, immediate use and short term storage shall be to level B requirements.
 - b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)

 Accountability: GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a

contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

- 3.4 <u>Contractor Furnished Materiel (CFM):</u> The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.5 <u>Electrostatic Discharge (ESD) Control Program:</u> The contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.6 Quality Assurance Provisions: The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality System Model for Quality Assurance in Production, Installation, and Servicing. The program shall ensure quality throughout all areas to include fabrication, processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.
- 3.7 <u>Acceptance:</u> The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps representatives shall be permitted to observe the work or to conduct an inspection.
- **Rejection:** Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 844-1, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- 3.9 Configuration Control: The contractor shall apply configuration control procedures to establish configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without receiving prior written authorization. The baseline configuration has been defined by Technical Data Package 82A5050A0000. Deviations from the established baseline configuration shall not be allowed without the express written approval of the Weapon System Manager (Code 844-1). All

permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-STD-973 (paragraph 5.4.2 and Appendix) may be used as a guide. If it is necessary to temporarily depart from the authorized configuration baseline, the contractor shall submit a Request for Deviation or Request for Waiver using MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) as a guide.

4.0 Reports

- 4.1 <u>Pre-Induction Checklist:</u> The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A) for each RIGID/EMC SHELTER repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 844-1) Albany, Georgia, after final acceptance of the RIGID/EMC SHELTER.
- **4.2** <u>Test/Inspection Report:</u> The Contractor shall provide a Test/Inspection Report for each RIGID/EMC SHELTER.
- **4.3** Repairable Item Inspection Report: The Contractor shall provide a Repairable Item Inspection Report for each RIGID/EMC SHELTER. The report shall be identified by United States Marine Corps Serial Number.
- **4.4 Monthly Progress Reports:** The Contractor shall provide Monthly Progress Reports summarizing the progress and status of the RIGID/EMC SHELTER Program.

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440.127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments. CIVILIAN AGENCIES: See FPMR handbook cited in 19 (2) (a).

REPORT OF DISCREPANCY (ROD) SHIPPING PACKAGE	ING	1. D#	TE OF PREPARATI	ON	2. REPORT N	UMBER		
3. TO: (Name and Address, Include ZIP Code)		4. FR	OM: (Name and Addr	ess, Include ZI	P Code)		<u></u>	
5a. SHIPPERS NAME		5b. NUMBER AND DATE OF INVOICE Sc. TRANSPORTATION DOCUME (GBL, Waybill, TCN, etc.)						BER
7a SHIPPER'S NUMBER (Purchase Order/Shipmnet, Contract, etc)	7b. OFFICE ADMINISTERING CON	NTRACT			8. REQUISITION etc.)	ER'S NÚMBER <i>(R</i>	lequisition, Pu	rchuse Request,
9. SHIPMENT, F	BILLING, AND RECEIPT DATA	-		10	DISCREPA	NCY DATA		11.
NSN/PART NUMBER AND NOMENCLATURE	UNIT OF ISSUE	QUANTITY SHIPPED/ BILLED	QUANTITY RECEIVED	QUAN- TITY	ÚNIT PRICE	TOTAL COST	CODE	2-
	(b)	(c)	(d)	(a)	(b)	(c)	(d)	
12. REMARKS (continue on separate sheet of paper if necessity)	essary)			1			<u> </u>	

CONDITION OF MATERIAL	PRODUCT QUALITY DEFICIENCIES	
C1 - In condition other than that indicated on	Q1 - Deficient material (Applicable to Grant Aid and FMS shipments)	1A - Disposition instructions requested (Reply on reverse)
release/receipt document	SHORTAGE OF MATERIAL	IB - Material being retained (See Remarks)
C2 - Expired shelf life	S1 - Quantity less than that on receipt document	1C - Supporting supply documentation requested
C3 - Damaged parcel post shipment	S2 - Quantity less than that requested (Other than unit of issue pack)	ID - Material still required, expedite shipment (Not
SUPPLY DOCUMENTATION	S3 - Non-receipt of parcel post shipments	applicable to FMS)
D! - Not received	ITEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log	1E - Local purchase material to be returned at supplier's
D2 - Illegible or mutilated	Books, Operating Handbooks, Special Instructions, etc.)	expense unless disposition instructions to the contrary
D3 - Incomplete, Improper or without authority	T1 - Missing	are received within 15 days (Reply onreverse) (Not
(Only when receipt cannot be properly processed)	T2 - Illegible or Mutilated	applicable to FMS)
MISDIRECTED MATERIAL	T3 - Precauttionary operational markings missing	1F - Replacement shipment requested (Not applicable to
M1 - Addressed to wrong activity	T4 - Inspection data missing or incomplete	(FMS)
OVERAGE/DUPLICATE SHIPMENTS	T5 - Serviceability operating data missing or incomplete	1G - Reshipment not required. Item to be re-requisitioned
O1 - Quantity in excess of that on receipt document	T6 - Warranty data missing	1H - No action required. Information only
O2 - Quantity in excess of that requested (Other than unit of issue pack)	WRONG ITEM (Identify requested item as a separate copy in Item 9.	1Z - Other action requested (See remarks)
O3 - Quantity duplicate shipment	above)	
PACKING DISCREPANCY	W1 - Incorrect item received	
P1 - Improper preservation	W2 - Unacceptable substitute	
P2 - Improper packing	OTHER DISCREPANCIES	
P3 - Improper Marking	Z1 - See Remarks	
P4 - Improper unitization		
13. FUNDING AND ACCOUNTING DATA		
14a. TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PR	EPARING OFFICIAL 14b. SIGNATURE	
	<u></u>	
15. DISTRIBUTION ADDRESSEES FOR COPIES		

1. DISCREPANCY CODES

2 ACTION CODES

16 FROM:		The Distribution Additional Control of the Distribution of the Dis	ALCA CONTRACTOR OF THE CONTRAC
			· · · ·
18. TO:		this document. address, inclu starting one typ the left dot. Each NOT extend b Address must not space typ	nvelope to mail Insert Name and ding ZIP Code, sing space below a address line must eyond right dot. exceed four single sing lines.
19. IN ACCORDANG a. MATERIAL DOCUMENT NUMBE		DISCREPANCY ON FACE OF THIS FOR	<u>RM:</u>
HAS WILL BEEN SHIPPED		NO RECORD OF SHIPMENT. RESUBN TO PROPER OFFICE UNDER	IIT REPORT
c. AN ADJUSTMENT IN BILLING HAS BEEN/WILL BE PROCESSED CREDIT	DEBIT	d INVOICE/BILL c I	PROOF OF DELIVERY
f. AN ADJUSTMENT IN BILLING FOR THIS REPORTED DISCRI	EPANCY WILL NOT BE PROC	ESSED FOR THE FOLLOWING REASON WHICH IS	CITED IN
(1) REASON FOR NOT PROCESSING		(2) PRESCRIBING RE	GULATION
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME F AND/OR	RAMES ALLOWED	(a) CHAPTER 5 OF THE GSA HANDBOO DISCREPANCIES OR DEFICIENCIES IN O DOD SHIPMENTS, MATERIALS, OR BILL (FPMR 101.26.8)	SA OR
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRII OR AGREEMENT INDICATED IN 191(2)	BED IN THE REGULATION	(b) CHAPTER 2 AND/OR 7 OF DOD 4000 2 MILITARY STANDARD BILLING SYSTEM (MILBILLS) AND/OR DD 1513, U.S. DOD OI ACCEPTANCE, AS APPLICABLE	
20. THE FOI	LLOWING DISPOSITION IS TO	BE MADE OF THE REFERENCED MATERIAL	IDAYS
a PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES	b. REPRESENTATIVE DISPOSITION	WILL CALL FOR DISCUSSION CONCERNING	
c RETAIN MATERIAL AT NO CHARGE	d MATERIAL WILL	DAYS	
e SHIP MATERIAL Specify location)			
(1) GBL APPROPRIATION CHARGEABLE:			
(2) CHARGES COLLECT - VIA: FREIGHT	EXPRESS	PARCEL POST	
(3) PARCEL POST LABEL ATTACHED	(4) FREIGHT PRE	PAID	
f OTHER (Specify)			
21 IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION.	22 REPLACEMENT WILL BE MADE C	/ITH SATISFACTORY MATERIAL N/OR BEFORE:	DATE
23. REMARKS (Continue on separate sheet of paper if necessary).			
AL THEO OF BRUTTER VALOE AND RECOVERY	Jak Clostiation		24c.
24a. TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL	24b. SIGNATURE		DATE

(1 Data Item)

Form Approved OMB No. 0704-0188

Designed using Perform Pro, WHS/DIOR, Aug 96

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Devis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. issted in Block E.

A. CONTRACT LINE I	TEM NO.	B. EXHIBIT		C. CATEGORY:	- 11. 40.					ļ
			.	TDP TM	OTHER					
D. SYSTEM/ITEM	gid/EMC Shelter		E. CONTRACT/PR	NO.	F. CONTRA	ACTOR				
	_				2 0UBTITE					43 POIOT OPPUT
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					17. PRICE GROUP
A001	Contractor's Pre	ogress, S	tatus, and Ma	nagement Report						
4. AUTHORITY (Data Acquis			5. CONTRACT REFEREN		<u> </u>	6. REQUIRING OFFICE				18. ESTIMATED
DI-	MGMT-80227			SOW 4.4		MCLBA	(844))	1	TOTAL PRICE
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUEN		12. DATE OF FIRST SUBMISSI		14. DISTRIBUTION				
LT	ntaninen	N	ITHLY	See Blk 1	6			b. COPIES		
8. APP CODE		11. AS OF DA	TE	13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft	Fir	ıal	
	A			See Blk 1	6			Reg	Repro	
Contractor for	mat is authorized.					MCLBA (844-1)	0	1	0	
Blk 4 - Tailor	DI-MGMT-80227 0.3k, and 10.3n.	as follo	ws: Delete par	agraphs 10.3g, 10	0.3h.					
10.3i, 10.3j, 1	0.3k, and 10.3n.		•	6 · r · · · · · · · · · · · · ·	,					
Blk 12 - The re	eporting period sh submission shall b	all be fro	om the first to	last business day	of each		1			
Blk 13 - Subse	quent submissions	s shall be	e 10 days after	the last business	day of					
cach monur.										
Distribution St	atement A: Appr	oved for	public release	distribution is u	nlimited.					
	11		•							
							1			
										:
						<u></u>		ļ	ļ j	1
								-,		
						······································				
							 			
							 		ļ <u>.</u>	
							-			
						15. TOTAL	0	1	0	
G. PREPARED BY		.	H. DATE	I. APPROVED B	Y	1	J. DATI			1
1/1	10, ~ 10		1 1	11-	1-		1	. 1	$/ \neg \mid$	
All X	rusot	- 	2/22/0		rey C	Dlaring)	21	<u> 1</u> 4/	M	
DD FORM 1423-	1, AUG 96 (EG)		PR	EVIOUS EDITION MAY BE	USEZ.	7	Page	01/	Pages	

(1 Data Item)

Form Approved OMB No. 0704-0188

17. PRICE GROUP

18. ESTIMATED TOTAL PRICE

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defamse, Washington Headquarters Services, Directorate for Information Department and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwritestanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE I	TEM NO.	B. EXHIBIT	Г	C. CATEGORY:		OTHER			
D. SYSTEM/ITEM			E. CONTRACT/PR	TDPTM	F. CONTRA				
	gid/EMC Shelter		E. COMINACI/PR	HV.	r. Comika	IC I UN			
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		<u> </u>		3. SUBTITLE				
D001									- 1
B001	l	irable Ite	m Inspection I			1			
4. AUTHORITY (Data Acquisi	(tion Document No.) I-ILSS-80386		5. CONTRACT REFEREN	SOW 4.3		6. REQUIRING OFFICE MLCBA	(844)		
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUEN	CY	12. DATE OF FIRST SUBMISSIO	ON .	14. DISTRIBUTION	1 (077)		
LT	REQUIRED	A	ASREQ	See Blk 1	6	TA. DISTRIBUTION		b. COPIES	
8. APP CODE		11. AS OF DA	TE	13. DATE OF SUBSECUENT SUBMISSION		a. Addressee		Fir	nal
	A			See Blk 1	6		Draft	Reg	Repro
15. REMARKS Contractor for	mat is authorized.					MCLBA (844-1)	0	1	0
			itted for each 3	20'Rigid/EMC Sh	elter				
repaired.	arate report smarr	00 000111	101 01011		C1101		 		
Blks 12 & 13 -	Submit report by	Marine	Corps Serial I	Number 30 days a	fter				
Blk 14 - Repor	ts shall be provid	ed on ha	rd copy.						
Distribution St	atement A · Annr	oved for	nublic release	e, distribution is un	nlimited				
Distribution St	atement A. Appi	oved for	public release	s, distribution is u	miniteu.				
							1		
							 		
									<u> </u>
									\vdash
									\vdash
									<u> </u>
							+		\vdash
							+		\vdash
									\vdash
						15. TOTAL	0	1	0
G. PREPARED BY	, , 1		H. DATE	I. APPROVED B	Y	_	J. DATE	:	
1/XV >	MUM		2/22/5	· Ston	A	Defaring	2/	54	m
DD FORM 1423-	1 AUC OG (CC)			EVIOUS EDITION MAY BE	NYC	A TOWN		ر استو ارز	<u>'UU</u>
PD (OUM 1423-	I, MUU 30 (EB)		rk.	EAIDOS EDITION MAT RE	notrik	(/ Designed	Page using Perform	Of Pro, WHS/F	Pages DIDR, Aug 96

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please D0 NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Issted in Block E.

A. CONTINCT LINE	LITEM MO.	D. LAMBII			OTHER							
DD ROUND A STREET BROWNED A STREET ASPECT STREET ST												
	<u> </u>											
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE							
B002		Test/Insp	ection Reports	S	Non	Destructive Testing	and In	spection	on			
·			5. CONTRACT REFEREN									
		1					\ (844)	(844)				
						14. DISTRIBUTION						
			-			a ANNRESSEE		b. COPIES Fir				
	A	A	SREQ		6	a. ADDIEGOE	Draft	Reg	Repro			
16. REMARKS		1		See Dik 1		MCLBA (844-1)	0	1	0			
Contractor fo	rmat is authorized.						0	1	0			
Blk 12 - Subr	nit test report withi	in 30 day	s after comple	tion of Production	n							
Acceptance T	esting. DCMAO was of receipt. MCL	zill reviev RA will r	w and provide provide accept:	comments to MC	LBA ce to the							
Contractor w	ithin 30 days after	receipt o	f recommenda	tions/comments f	rom		 					
	C		C		20							
days of receip	Contractor shall in ot. This review/app	corporate roval cy	e any Governn cle shall be rep	nent comments with the Control of th	ith 30 ontractor							
receives appr	oval from the Gove	ernment.	-									
Distribution 9	Statement A: Annr	oved for	nublic release	distribution is u	nlimited							
Distribution	ratement 11. 71ppi	oved for	public release	, distribution is u	mmmca.							
							 -					
						•						
						_						
						· · · · · · · · · · · · · · · · · · ·						
						11.44.14.						
							-					
							+-					
												
							+					
								•				
						77 50.00						
G. PREPABEO BY			H. DATE	I APPROVED R	Y	15. TOTAL		2	0			
///	111100	0			/	<u> </u>	J. DATE		厶			
See Bik 16 A STREQ A ASREQ See Bik 16 TI. AND FORT SUMMISSER A ASREQ See Bik 16 TI. AND FORT SUMMISSER A ASREQ See Bik 16 TI. AND FORT SUMMISSER A ASREQ See Bik 16 TI. AND FORT SUMMISSER A ASREQ See Bik 16 TI. AND FORT SUMMISSER A STREQ See Bik 16 TI. AND FORT SUMMISSER A STREQ See Bik 16 TI. AND FORT SUMMISSER A STREQ See Bik 16 MCLBA (844-1) DCMAO O DCMAO Bik 13 - The Contractor shall incorporate any Government comments with 30 days after receipt of receipt. This review/approval cycle shall be repeated until the Contractor receives approval from the Government. Distribution Statement A: Approved for public release, distribution is unlimited.					LH//	ן על						
DD FORM 1423	R.1 AUG 96 (FGV)	-	PR	EVIDUS EDITION MAY BE	HSED		Pario	h;	Pagas			

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington 42202.4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Issed in Block E.

A. CONTRACT LINE I	TEM NO.	B. EXHIBIT		C. CATEGORY:	ОТИЕМ	THER X				
D. SYSTEM/ITEM			E. CONTRACT/PR	TDP TM NO.	F. CONTRA					
	gid/EMC Shelter		a continue i i		seame					
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					
C001		Request	For Deviation			Configuration Man	iageme	nt		
4. AUTHORITY (Data Acquisi	tion Document No.) CMAN-80640B		5. CONTRACT REFEREN	SOW 3.9		6. REQUIRING OFFICE MCLBA	(825)			
7. 00 250 REQ	9. DIST STATEMENT	10. FREQUENC	 	12. DATE OF FIRST SUBMISSIO) (ii	14. DISTRIBUTION	1 (023)			
LT	REQUIRED	A	SREQ	SEE BLK	16			b. COPIES		
8. APP CODE		11. AS OF DAT	TE	13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft	Fin	al	
16. REMARKS	A					MCI DA (025.2)		Reg	Repro	
Blk 4 - Contrac	ctor format is auth					MCLBA (825-2)	0		0	
Blks 10 & 12 - nonconforming documentation.	RFDs shall be sugnification of the shall be sugnificated which do	bmitted loes not i	to obtain authoneet prescribe	orization to delive ed configuration	r					
RFDs will be r receipt by the	eviewed and disp Government.	osition de	etermined with	nin 30 calendar da	ys upon					
RFDs shall be mbmatcomcon	transmitted via E- figmngmnt@matc	Mail to toom.usmo	the following a	address:						
Distribution St	ristribution Statement A: Approved for public release, distribution is unlimited									
							1			
							\vdash			
							, , ,			
							-			
										
						1E TOTAL		1		
G. PREPARED BY		า	H. DATE	I. APPROVED B	Ÿ	15. TOTAL	J. DATE	1	0	
Jane	o C Va	6	1/28/0	o Aar	nerc	Deams	4	24/	n	
OD FORM 1423	1, AUG 96 (EG)		PR	REVIOUS EDITION MAY BE	USED		Page	of	Pages	

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwritistanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Slock E.

A. CONTRACT LINE (TEM NO.	B. EXHIBIT C. CATEGORY: TOP TM OTHER							 		
D. SYSTEM/ITEM 20'Rig	gid/EMC Shelter		E. CONTRACT/PR		F. CONTRA			<u> </u>			İ
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		1		3. SUBTITLE						17. PRIC
C002		Reques	t For Waiver			Confis	guration Ma	nagem	ent		
4. AUTHORITY /Data Acquisi	ition Document No.)		5. CONTRACT REFEREN	CE		6. REQUIRIN					18. ESTI
DI-C	DI-CMAN-80641B						MCLB.	A (825)		TOTA
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUEN		12. DATE OF FIRST SUBM		14.	DISTRIBUTION				
LT			ASREQ	SEE BL					b. COPIES		
B. APP CODE	Α	11. AS OF DA	TE	13. DATE OF SUBSEQUEN SUBMISSION		a.	ADDRESSEE	Draft		nal	
16. REMARKS	73					MCLD	A (825-2)	0	Reg 1	Repra 0	
	ctor format is aut	horized				MCLB	A (623-2)	1-0	1	U	
			to obtain auth	orization to del	iver						
nonconforming documentation.	RFWs shall be s g material which o	does not i	meet prescribe	d configuration						^	
RFWs will be	reviewed and disp Government.	position d	letermined wit	hin 30 calendai	days upon						
								<u> </u>	 		
RFWs shall be mbmatcomcon:	transmitted via E figmngmnt@mate	e-Mail to com.usmo	the following .mil	address:				-		-	
	atement A: Appr				unlimited			<u> </u>			
			Pagara recent	, 4100110411011			7 7 2 4 4				
									L		
								ļ		<u> </u>	
						-		 			
							·	+			
								+			
										ļ	
								<u> </u>			
								<u> </u>	<u> </u>		
								<u> </u>	L		
								<u> </u>		\vdash	
							n to No.	 			
								 			İ
							n/M/A				!
								├ ─	 -		
								+-	-	<u> </u>	İ
								+-			
								ullet		 _	
						15 7074:			-		İ
G. PREPARED BY			H. DATE	I. APPROVE	D BY	15. TOTAL		J. DAT		0	1
Dans o	2 CM	rub	1/24/1	x) X/Dr	آئے میں)On	Deares	2/	24/	1 150	
XX WIN W	1, AUG 96 (EG)	س مہ	1/20/	<u> , , , , , , , , , , , , , , , , , , </u>	$\sim\sim$	ノマスル	U~~77		r_{II}	11 W	i .

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and neviewing the collection of information. Send comments reperding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defanse, Washington Headquarters Services, Directorate for Information Department of Defanse, Washington A. 22202-4302. Respondents should be aware that notwritestanding any other provision of law, no person shall be subject to any penalty for faling to comply with a collection of information if it does not display a currently vaid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Issted in Block E.

A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY: TOP IM DIHER										
D. SYSTEM/ITEM			E. CONTRACT/PR		F. CONTRA					
20' R	igid/EMC Shelter		2. 00111111077111		r. comm	, di di				
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE				-	17. PRICE GR
										i i
C003		gineering	Change Prop			Configuration Mar	nageme	ent		
4. AUTHORITY (Data Acquis			5. CONTRACT REFEREN			6. REQUIRING OFFICE	4 (00E)			18. ESTIMAT Total Pr
7. DD 250 REQ	CMAN-80639B	10. FREQUENC	<u></u>	SOW 3.9	· IOB	MCLBA	4 (823)	1		
LT	DECAUSED.		SREQ	See Blk		14. DISTRIBUTION	 			
8. APP CODE	+	11. AS OF DAT		13. DATE OF SUBSEQUENT		a. ADDRESSEE		b. COPIES	nel	└ ──
	A			SUBMISSION		a. ADDITESSEE	Draft	Reg	Repro	
16. REMARKS		L				MCLBA (825-2)	ō	1	0	
	ctor format is auti						Ť			
Blks 10 & 12	- ECPs shall be suffect the baseline pplies.	ibmitted f	for all propose	d changes which	l					
Appendix D a	pplies.	or a com	iguration nem	. WILESTD-913	,					
										1
receipt by the	reviewed and disp Government.									
ECPs shall be	submitted to mbi	matcomco	onfigmngmnt@	matcom.usmc.r	nil				 	ĺ
Distribution St	tatement A: Appr	roved for	public release	, distribution is	unlimited.		 		-	
						<u>-</u>	+			
							+			
							†			
							 			
						,				
						~				l
							1			
									-	
						· · · · · · · · · · · · · · · · · · ·				
									<u></u>	
							-		_	
							-			
							1			
									 	
							1			
									<u> </u>	
								ļ <u>. </u>	<u> </u>	ĺ
						15. YOTAL	0	1	0	
G. PREPARED BY	Λ		H. DATE	I. APPROVED	BY		J. DAT			
11.	. 0 1	1	1/2 31	. X		\ \ \ -	1-1	411	/	
Same	2 C (Va)	10	1/28/	DO YNAMI	wol	Derring	1	H1/	\mathcal{D}	ĺ
DD FORM 1423	1, AUG 96 (EG)		/ / PR	EVIOUS EDITION MAY B	E U S ED.		Page	of	Pages	i